



---

# **Model 105A Music On Hold (MOH) Coupler**

*For AT&T PARTNER® Communications Systems*

## **Installation Instructions**

---

### **Important Safety Instructions**

---

Always follow these basic safety precautions when installing the 105A Music On Hold coupler:

1. Read and understand all instructions.
2. Never touch uninsulated telephone wires or terminals, unless the telephone line has been disconnected at the network interface.
3. Use caution when installing this product on telephone lines.
4. **DO NOT** install this product on telephone wiring during a lightning storm.
5. Never install this product in a wet location.

## **SAVE THESE INSTRUCTIONS**

Comcode 106945165  
Issue 1 (February 1993)

Copyright © 1993 AT&T  
Printed in U.S.A.

*PARTNER and Magic on Hold are registered trademarks of AT&T.*

## Description

---

The 105A Music On Hold coupler enables you to connect a Music On Hold device, such as AT&T's Magic on Hold®, to the PARTNER Communications System so callers on hold can hear recorded music.

### Note:

If you use equipment that rebroadcasts music or other copyrighted materials, you may be required to obtain a license from a third party such as ASCAP or BMI. AT&T's Magic on Hold does not require you to obtain such a license.

The steps for connecting the Music On Hold components to the system are provided below. After installation, refer to "Music/Tones On Hold (#602)" in Chapter 5 of the *PARTNER Installation and Use* guide and to the device's instructions for additional information on setting up and using the Music On Hold device.

## Installation

---

1. Connect the device to the coupler:
  - a. Insert one end of an audio cord with an RCA phono plug into the RCA phono jack on the Music On Hold coupler.
  - b. Insert the other end of the audio cord into the RCA phono jack on the Music On Hold device.
2. Connect the coupler to the 206 system module:
  - a. Insert one end of the modular cord (packaged with the coupler) into the modular jack on the Music On Hold coupler.
  - b. Insert the other end of the modular cord into extension jack 15 on the 206 system module.
3. Set the volume:
  - a. Set the coupler's volume to the lowest setting. Use a flathead screwdriver to turn the volume control counterclockwise until it stops.
  - b. Place a call on hold and listen while adjusting the volume, clockwise. If you do not hear music at any setting, refer to "Music/Tones On Hold (#602)" in Chapter 5 of the *PARTNER Installation and Use* guide to make sure "Music On Hold" is selected.

## Parts Enclosed

